

**TOBILED®**



No.5 building, Qingwan industrial zone, Sanzao Town, Jinwan District,  
Zhuhai City, Guangdong province, China, 519040


Contact No.: 0086-756-6805251/6805252/6805253/6805254/  
6805465/6805310;

Email: info@tobiled.com www.tobiled.com Fax: 0086-756-6805559

TOBILED CO., LIMITED ALL rights reserved.  
Designs and specifications may change without prior notice.




**2025.11**  
Rechargeable LED light






## Alabaster rechargeable lamp-Stella



- Material:** Aluminum housing with natural alabaster
- Housing color:** black and white (different color is available on request)
- Power:** 0.7 W
- Input voltage:** DC5V/2A
- LED color temperature:** 1800K/6500K
- CRI > 90**
- Battery charging time:** 5-6 hours
- Working time with battery:** >12 hours
- Type C USB connector
- Touch switch, dimmable, flicker-free
- IP rating:** IP20






## Alabaster rechargeable lamp-Luna

**Material:** Aluminum housing with natural alabaster  
**Housing color:** black and white (different color is available on request)  
**Power:** 1.2 W  
**Input voltage:** DC5V/1A  
**Color temperature:** 1800K/6500K  
**CRI > 90**  
**Battery charging time:** 3-4 hours  
**Working time with battery:** >8 hours  
 Type C USB connector  
 Touch switch, dimmable, flicker-free  
**IP rating:** IP20





## Alabaster rechargeable lamp-Venere

**Material:** Aluminum housing with natural alabaster  
**Housing color:** black and white (different color is available on request)  
**Power:** 2 W  
**Input voltage:** DC5V/2A  
**Color temperature:** 1800K/6500K  
**CRI > 90**  
**Battery charging time:** 3-4 hours  
**Working time with battery:** >12 hours  
 Type C USB connector  
 Touch switch, dimmable, flicker-free  
**IP rating:** IP20



**Multiple charging methods**



Plug



PC





Power Bank

- **On / Off:** short touch
- **Dimming:** long touch
- **Color temperature changing:** by tapping 2 times on the lamp cap surface, second time with a bit longer touch  
Dimming from 5%-100%

**OFF:** power off  
**ON:** Powers on  
 Tip: Turn off when not used for a long time

**Bottom switch**

 <p>Simple design</p>	 <p>IP Rating</p>	 <p>Single color dimming</p>
 <p>Single</p>	 <p>6000mAh large capacity lithium battery</p>	





## Alabaster rechargeable lamp-Galassia

- Material:** Aluminum housing with natural alabaster  
**Housing color:** black and white (different color is available on request)  
**Power:** 2 W  
**Input voltage:** DC5V/2A  
**Color temperature:** 1800K/6500K  
**CRI > 90**  
**Battery charging time:** 3-4 hours  
**Working time with battery:** >10 hours  
 Type C USB connector  
 Touch switch, dimmable, flicker-free  
**IP rating:** IP20



Indicator lamp:  
 1. when it is red, the battery is in charging.  
 2. when it is green, the battery is fully charged.





**Multiple charging methods**

  
 Plug

  
 PC



  
 Power Bank


 Simple design	 IP Rating	 Single color dimming
 Single	 5000mAh large capacity lithium battery	



## Alabaster rechargeable lamp-Rosa

- Material:** Aluminum housing with natural alabaster
- Housing color:** black and white (different color is available on request)
- Power:** 1.5 W
- Input voltage:** DC5V/2A
- Color temperature:** 1800K/6500K
- CRI > 90**
- Battery charging time:** 3-4 hours
- Working time with battery:** >12 hours
- Type C USB connector
- Touch switch, dimmable, flicker-free
- IP rating:** IP20






## Alabaster rechargeable lamp-Bottiglia

- Material:** Aluminum housing with natural alabaster  
**Housing color:** black and white (different color is available on request)  
**Power:** 1.6 W  
**Input voltage:** DC5V/2A  
**Color temperature:** 1800K/6500K  
**CRI > 90**  
**Battery charging time:** 3-4 hours  
**Working time with battery:** >12 hours  
 Type C USB connector  
 Touch switch, dimmable, flicker-free  
**IP rating:** IP20

- **On / Off:** short touch
- **Dimming:** long touch
- **Color temperature changing:** by tapping 2 times on the lamp cap surface, second time with a bit longer touch  
Dimming from 5%-100%



Bottom switch

Indicator lamp:  
 1. when it is red,  
 the battery is in charging.  
 2. when it is green,  
 the battery is fully charged.

Press this button,  
 Powers on /power off  
 Tip: Turn off when not used for a long time




**Multiple charging methods**

  
 Plug

  
 PC

  
 Power Bank







- **On / Off:** short touch
- **Dimming:** long touch
- **Color temperature changing:** by tapping 2 times on the lamp cap surface, second time with a bit longer touch  
Dimming from 5%-100%

- Indicator lamp:
1. when it is red, the battery is in charging.
  2. when it is green, the battery is fully charged.

### Candle rechargeable lamp-Lily

**Material:** Aluminum housing with natural alabaster  
**Housing color:** black and white (different color is available on request)  
**Power:** 0.5 W  
**Input voltage:** DC5V/2A  
**Color temperature:** 1800K/5000K  
**CRI > 90**  
**Battery charging time:** 3-4 hours  
**Working time with battery:** >24 hours  
 Type C USB connector  
 Touch switch, dimmable, flicker-free  
**IP rating:** IP20





**Multiple charging methods**

  
 Plug

  
 PC

  
 Power Bank

 Simple design	 IP Rating	 Single color dimming
 Single		 5000mAh large capacity lithium battery



- **On / Off:** short touch
- **Dimming:** long touch
- **Color temperature changing:** by tapping 2 times on the lamp cap surface, second time with a bit longer touch  
Dimming from 5%-100%

- Indicator lamp:
1. when it is red, the battery is in charging.
  2. when it is green, the battery is fully charged.

### Candle rechargeable lamp-Lina

**Material:** Aluminum housing with natural alabaster  
**Housing color:** black and white (different color is available on request)  
**Power:** 0.5 W  
**Input voltage:** DC5V/2A  
**Color temperature:** 1800K/5000K  
**CRI > 90**  
**Battery charging time:** 3-4 hours  
**Working time with battery:** >24 hours  
 Type C USB connector  
 Touch switch, dimmable, flicker-free  
**IP rating:** IP20




**Multiple charging methods**

  
 Plug

  
 PC

  
 Power Bank

 <b>Simple design</b>	 <b>IP Rating</b>	 <b>Single color dimming</b>
 <b>Single</b>		 <b>5000mAh large capacity lithium battery</b>



Indicator lamp:  
 1. when it is red,  
 the battery is in charging.  
 2. when it is green,  
 the battery is fully charged.

### Candle rechargeable lamp-Lisa

- Material:** Aluminum housing with natural alabaster
- Housing color:** black and white (different color is available on request)
- Power:** 0.5 W
- Input voltage:** DC5V/2A
- Color temperature:** 1800K/5000K
- CRI > 90**
- Battery charging time:** 3-4 hours
- Working time with battery:** >24 hours
- Type C USB connector
- Touch switch, dimmable, flicker-free
- IP rating:** IP20



**Multiple charging methods**




Plug



PC



Power Bank

 Simple design	 IP Rating	 Single color dimming
 Single		 5000mAh large capacity lithium battery



Available in different colors



## TH350 Rechargeable touch lamp

**Housing Material:** Aluminium with powder coating finish

**Housing color:** white / black (different color is available on request )

**Power:** 2W

**Voltage:** DC 5V / 2A

**Color :** 1800K ~ 4000K changeable

**CRI > 90**

**Battery charge time:** 5~6 hours

**Working time with battery :** 12 hours at full power /120 hours at lowest power

Type C USB connector

Touch switch

Double color dimmable

No flickering, nonglare

**Lifetime:** 50,000 hours

**Warranty:** 1 year

**IP rating:** IP53

**weight:** 790g

### Multiple charging methods




Plug



PC



Power Bank



Simple design



Central lighting



IP Rating



Color temperature  
changeable  
1800~4000K



Double color dimming



6600mAh large  
capacity lithium battery



Available in different colors





## TH350-A Rechargeable touch lamp

**Housing Material:** Aluminium with powder coating finish  
**Housing color:** white / black (different color is available on request )

**Power:** 2W  
**Voltage:** DC 5V / 2A  
**Color :** 1800K ~ 4000K changeable  
**CRI > 90**

**Battery charge time:** 5~6 hours  
**Working time with battery :** 12 hours at full power/120 hours at lowest power  
 with USB charging base, cable length 1000mm

Touch switch  
 Double color dimmable  
 No flickering, nonglare  
**Lifetime:** 50,000 hours  
**Warranty:** 1 year  
**IP rating:** IP53  
**weight:** 998g




 Simple design	 Central lighting	 IP Rating
 Color temperature changeable 1800~4000K	 Double color dimming	 6600mAh large capacity lithium battery

## With USB plug Charging Base



## 6 Contact Charging Base






## DATI Rechargeable touch lamp


**Housing Material:** Aluminium with powder coating finish  
**Housing color:** white / black (different color is available on request)

**Power:** 2W  
**Voltage:** DC5V / 2A  
**Color:** 1800K ~ 4000K changeable  
**CRI > 90**

**Battery charge time:** 4~6 hours  
**Working time with battery:** 8-10 hours at full power  
 4-5 days at lower power


Touch switch  
 Double color dimmable  
 No flickering , nonglare  
**Lifetime:** 50,000 hours  
**Warranty:** 1 year  
**IP rating:** IP53



 Simple design	 Central lighting	 IP Rating
 Color temperature changeable 1800~4000K	 4400mAh/6400mAh Capacity lithium battery	 Double color dimming



- On / Off: short touch
- Dimming: long touch
- Color temperature changing: by tapping 2 times on the lamp cap surface, second time with a bit longer touch  
Dimming from 5%-100%



Bottom switch

## Campegio Rechargeable touch lamp

Material: Aluminum housing  
 Housing color: black and white (different color is available on request)  
 Power: 1.8 W  
 Input voltage: DC5V/2A  
 Color temperature: 1800K/6500K  
 CRI > 90  
 Battery charging time: 3-4 hours  
 Working time with battery: >12 hours  
 Type C USB connector  
 Touch switch, dimmable, flicker-free  
 IP rating: IP65

Indicator lamp:  
 1. when it is red, the battery is in charging.  
 2. when it is green, the battery is fully charged.


When the light is on, the lamp can light up for one hour



**Multiple charging methods**


Plug      PC      Power Bank



<p>Simple design</p>	<p>IP Rating</p>	<p>Single color dimming</p>
<p>Single</p>		<p>5000mAh large capacity lithium battery</p>







## Linear L1232 Motion sensor rechargeable night light / cabinet light

**Material:** Aluminum housing with PC diffuser

**Housing finishing:** Powder coating with Blue/Green/Pink/Orange/White color  
(different color is available on request)

**Power:** 1W

**Input voltage:** DC5V/2A

**Color temperature:** 1800-4000K

**CRI > 90**

**Battery charging time:** 3-4hours


**Working time with battery :** 6-7 hours at full load, 35-40 hours at minimum load (0.1W)

Type C USB connector


Dimmable, flicker-free

**IP rating:** IP20

It is fixed with magnets and requires no screw fixing



Type C USB connector



Indicator lamp:  
1. when it is blue, the light is in Always-on mode.  
2. when it is red, the battery is in charging.  
3. when it is green, the battery is fully charged.


Key A operations :

1. Press Key A quickly to turn it on /off
2. Press and hold Key A 1 seconds for dimming (from 10%-100%)
3. Press Key A twice quickly to change the color between 1800K and 4000K
4. Press Key A twice, holding the key a bit longer on the second press to change the color from 1800K to 4000K

Key B operations:

1. Press and hold Key B more than 3. seconds to enter the Body-sensing mode or Always-on mode  
( the blue light near to the motion sensor will turn on )

 1.5m sensing distance 120°induction range 20s delay light	 Magnets attach directly to metal surfaces	 Stick on wall with adhesive metal plates
 IP Rating	 Color temperature changeable 1800~4000K	 2000mAh large capacity lithium battery DC5V/2A 3-4-hours charging time



## Linear L1232S Motion sensor rechargeable night light / cabinet light

**Material:** Aluminum housing with PC diffuser

**Housing finishing:** Powder coating with Blue/Green/Pink/Orange/White color  
(different color is available on request)

**Power:** 1W

**Input voltage:** DC5V/2A

**Color temperature:** 1800-4000K

**CRI > 90**

**Battery charging time:** 3-4hours



**Working time with battery :** 6-7 hours at full load, 35-40 hours at minimum load (0.1W)

Type C USB connector

Dimmable, flicker-free

**IP rating:** IP20

It is fixed with magnets and requires no screw fixing



Key A operations :

1. Press Key A quickly to turn it on /off
2. Press and hold Key A 1 seconds for dimming (from 10%-100%)
3. Press Key A twice quickly to change the color between 1800K and 4000K
4. Press Key A twice, holding the key a bit longer on the second press to change the color from 1800K to 4000K

Key B operations:

1. Press and hold Key B more than 3. seconds to enter the Body-sensing mode or Always-on mode  
( the blue light near to the motion sensor will turn on )

 1.5m sensing distance 120°induction range 20s delay light	 Magnets attach directly to metal surfaces	 Stick on wall with adhesive metal plates
 IP Rating	 Color temperature changeable 1800~4000K	 2000mAh large capacity lithium battery DC5V/2A 3-4hours charging time



## Linear L3223C Motion sensor rechargeable night light / cabinet light

**Material:** Aluminum housing with PC diffuser

**Housing finishing:** Powder coating with Blue/Green/Pink/Orange/White color  
(different color is available on request)

**Power:** 1W

**Input voltage:** DC5V/2A

**Color temperature:** 1800-4000K

**CRI > 90**

**Battery charging time:** 3-4hours



**Working time with battery :** 6-7 hours at full load, 35-40 hours at minimum load (0.1W)

Type C USB connector

Dimmable, flicker-free

**IP rating: IP20**

It is fixed with magnets and requires no screw fixing



- Indicator lamp:
1. when it is blue, the light is in Always-on mode.
  2. when it is red, the battery is in charging.
  3. when it is green, the battery is fully charged.

Key A operations :

1. Press Key A quickly to turn it on /off
2. Press and hold Key A 1 seconds for dimming (from 10%-100%)
3. Press Key A twice quickly to change the color between 1800K and 4000K
4. Press Key A twice, holding the key a bit longer on the second press to change the color from 1800K to 4000K

Key B operations:

1. Press and hold Key B more than 3. seconds to enter the Body-sensing mode or Always-on mode  
(the blue light near to the motion sensor will turn on)



 1.5m sensing distance 120° induction range 20s delay light	 Magnets attach directly to metal surfaces	 Stick on wall with adhesive metal plates
 IP Rating	 Color temperature changeable 1800~4000K	 2000mAh large capacity lithium battery DC5V/2A 3-4hours charging time





### ROSA-R Makeup mirror



**Material:** Aerospace aluminum housing  
**Surface treatment:** Powder coating, electroplating  
(available in various colors: white, black, rust, industrial gray, gold plating, etc.)  
**Power:** 4W  
**Input voltage:** DC5V/2A  
**Color temperature:** 4000K  
**CRI > 90**  
**Battery charging time:** 5-6 hours  
**Working time with battery :** 4-5 hours at full load, 50 hours at minimum load  
Type C USB connector  
Touch switch, dimmable, flicker-free  
**IP rating: IP53**  
Lifespan: 50,000 hours






### ROSA-S Makeup mirror

**Material:** Aerospace aluminum housing  
**Surface treatment:** Powder coating, electroplating  
 (available in various colors: white, black, rust, industrial gray, gold plating, etc.)  
**Power:** 4W  
**Input voltage:** DC5V/2A  
**Color temperature:** 4000K  
**CRI > 90**  
**Battery charging time:** 5-6 hours  
**Working time with battery :** 4-5 hours at full load, 50 hours at minimum load  
 Type C USB connector  
 Touch switch, dimmable, flicker-free  
**IP rating: IP53**  
 Lifespan: 50,000 hours







### MINI Rechargeable touch lamp


**Housing Material:** Aluminium with powder coating finish  
**Housing color:** white / black (different color is available on request)  
**Power:** 2W  
**Voltage:** DC5V / 2A  
**Color :** Single  
**CRI > 90**  
**Battery charge time:** 5~7 hours  
**Working time with battery :** 8-10 hours at full power/**120** hours at lowest power  
 Type C USB connector  
 Touch switch  
 dimmable,  
 No flickering, nonglare  
**Lifetime:** 50,000 hours  
**Warranty:** 1 year  
**IP rating:** IP20  
**weight:**412g



Available in different colors



• On / Off: short touch  
 • Dimming: long touch



### Multiple charging methods



Plug



PC



Power Bank



Simple design



Central lighting



IP Rating



Single



Single color dimming



6000mAh large capacity lithium battery